

2018 Références trouvées : 10

Alric C., Hervé-Aubert K., Aubrey N., Melouk S., Lajoie L., Même W., Même S., Courbebaisse Y., Ignatova A., Feofanov A., Chourpa I. and Allard-Vannier E. (2018)

Targeting HER2-breast tumors with scFv-decorated bimodal nanoprobes.

Journal of Nanobiotechnology (2018) 16.

Abstract

Toth E. and Lacerda (2018)

Theranostics and Image Guided Drug Delivery.

Chemmedchem (2018) 13, 1851-1852.

Phukan B., Malikidogo K. P., Bonnet C. S., Toth E., Mondal S. and Mukherjee C. (2018)

A Bishydrated, Eight-Coordinate Gd(III) Complex with Very Fast Water Exchange : Synthesis, Characterization, and Phantom MR Imaging.

Chemistryselect (2018) 3 (27) 7668-7673.

Abstract

Laine S., Bonnet C. S., Kalman F. K., Garda Z., Pallier A., Caille F., Suzenet F., Tircso G. and Toth E. (2018)

Mn²⁺ complexes of open-chain ligands with a pyridine backbone : less donor atoms lead to higher kinetic inertness.

New Journal of Chemistry (2018) 42 (10) 8012-8020.

Abstract

Bonnet C. S. (2018)

Zn²⁺ detection by MRI using Ln³⁺-based complexes : The central role of coordination chemistry.

Coordination Chemistry Reviews (2018) 369, 91-104.

Abstract

Isaac M., Pallier A., Szeremeta F., Bayle P.-A., Barantin L., Bonnet C. S. and Seneque O (2018)

MRI and luminescence detection of Zn²⁺ with a lanthanide complex-zinc finger peptide conjugate

Chemical Communications (2018) 54 (53) 7350-53

Abstract

Malikidogo K. P., Da Silva I., Morfin J. F., Lacerda S., Barantin L., Sauvage T., Sobilo J., Lerondel S., Toth E. and Bonnet C. S. (2018)

A cocktail of (165)Er(iii) and Gd(iii) complexes for quantitative detection of zinc using SPECT and MRI.

Chemical communications (2018) 54 (55) 7597-7600.

Abstract

Costa P. M., Wang J. T., Morfin J. F., Khanum T., To W., Sosabowski J., Toth E. and Al-Jamal K. T. (2018)

Functionalised Carbon Nanotubes Enhance Brain Delivery of Amyloid-Targeting Pittsburgh Compound B (PiB)-Derived Ligands.

Nanotheranostics, (2018) 2, 168-83.

Abstract

Molnar E., Varadi B., Garda Z., Botar R., Kalman F. K., Toth E., Platas-Iglesias C., Toth I., Brucher E. and Tircso G. (2018)

Remarkable differences and similarities between the isomeric Mn(II)-cis- and trans-1,2-diaminocyclohexane-N,N,N',N'-tetraacetate complexes.

Inorganica Chimica Acta, (2018) 472, 254-263.

Abstract

El Hamrani D., Chepied A., Meme W., Mesnil M., Defamie N. and Meme S. (2018)

Gestational and lactational exposure to dichlorinated bisphenol A induces early alterations of hepatic lipid composition in mice.

Magma, (2018).

Abstract

2017 Références trouvées : 12

Morrow J. R. and Toth E. (2017)

Next-Generation Magnetic Resonance Imaging Contrast Agents

Inorganic Chemistry (2018) 56 (11) 6029-6034

Reverchon F., Mortaud S., Sivoyon M., Maillet I., Laugeray A., Palomo J., Montécot C., Herzine A., Même S., Même W., Erard F., Ryffel B., Menuet A. and Quesniaux V. F. J. (2017)

IL-33 receptor ST2 regulates the cognitive impairments associated with experimental cerebral malaria.

PLoS Pathogens (2017) 13.

Abstract

Lacerda S., Morfin J. F., Geraldes C. F. G. C. and Toth E. (2017)

Metal complexes for multimodal imaging of misfolded protein-related diseases.

Dalton Transactions (2017) 46, 14461-14474.

Abstract

Kammoun M., Memé S., Même W., Subramaniam M., Hawse J. R., Canon F. and Bensamoun S. F. (2017)

Impact of TIEG1 on the structural properties of fast- and slow-twitch skeletal muscle.

Muscle & nerve, Supplement (2017) 55, 410-416.

Abstract

Zhang, W., Martinelli, J., Peters, J. A., van Hengst, J. M. A., Bouwmeester, H., Kramer, E., Bonnet, C. S., Szeremeta, F., Tóth, É. and Djanashvili, K. (2017)

Surface PEG Grafting Density Determines Magnetic Relaxation Properties of Gd-Loaded Porous Nanoparticles for MR Imaging Applications

ACS Applied Materials & Interfaces (2017) 9 (28) 23458-23465

Abstract

Vanasschen, C., Molnar, E., Tircso, G., Kalman, F. K., Toth, E., Brandt, M., Coenen, H. H. and Neumaier, B. (2017)

Novel CDTA-based, Bifunctional Chelators for Stable and Inert MnII Complexation : Synthesis and Physicochemical Characterization

Inorganic chemistry (2017) 56 (14) 7746-7760

Abstract

Angelovski, G. and Tóth, É. (2017)

Strategies for sensing neurotransmitters with responsive MRI contrast agents

Chemical Society Reviews (2017) 46 (2) 324-336

Abstract

Pollet, R., Bonnet, C.S., Retailleau, P., Durand, P. and Tóth, E. (2017)

Proton-exchange in a paramagnetic chemical exchange saturation transfer agent from experimental studies and ab initio metadynamics simulation

Inorganic Chemistry (2017) 56, 4317-4323

Abstract

Pansieri, J., Plissonneau, M., Stransky-Heilkron, N., Dumoulin, M., Heinrich-Balard, L., Rivory, P., Morfin, J.-F., Eva, T., Maria Joao, S., Allémann, E., Tillement, O., Forge, V., Lux, F. and Marquette, C. (2017)

Multimodal imaging Gd-nanoparticles functionalized with Pittsburgh compound B or a nanobody for amyloid plaques targeting

Nanomedicine (2017) 12 (14) 1675-1687

Abstract

Lavie-Cambot, A., Tron, A., Ducrot, A., Castet, F., Kauffmann, B., Beauté, L., Allouchi, H., Pozzo, J.-L., Bonnet, C. S. and McClenaghan, N. D. (2017)

Synthetic water soluble di-/tritopic molecular receptors exhibiting Ca²⁺/Mg²⁺ exchange

Organic and Biomolecular Chemistry (2017) 15 (20) 4367-4374

Abstract

Lacerda, S. and Toth, E. (2017)

Lanthanide Complexes in Molecular Magnetic Resonance Imaging and Theranostics

Chemmedchem (201) 12 (12) 883-894

Abstract

Fredy, J. W., Scelle, J., Ramniceanu, G., Doan, B.-T., Bonnet, C. S., Tóth, É., Ménand, M., Sollogoub, M., Vives, G. and Hasenknopf, B. (2017)

Mechanostereoselective One-Pot Synthesis of Functionalized Head-to-Head Cyclodextrin [3]Rotaxanes and Their Application as Magnetic Resonance Imaging Contrast Agents

Organic Letters (2017) 19 (5) 1136-1139

Abstract

2016 Références trouvées : 11

Rodríguez-Rodríguez A., Regueiro-Figueroa M., Esteban-Gómez D., Tripier R., Tircsó G., Kálmán F. K., Bényei A. C., Tóth I., de Blas A., Rodríguez-Blas T. and Platas-Iglesias C. (2016)

Complexation of Ln³⁺ Ions with Cyclam Dipicolinates : A Small Bridge that Makes Huge Differences in Structure, Equilibrium, and Kinetic Properties

Inorganic Chemistry (2016) 55 (5) 2227-2239 - doi : 10.1021/acs.inorgchem.5b02627

Abstract

Martins A. F., Oliveira A. C., Morfin J.-F., Laurens D. V., Toth E. and Geraldes C. F. G. C. (2016)

Associating a negatively charged GdDOTA-derivative to the Pittsburgh compound B for targeting Abeta amyloid aggregates

Journal of biological Inorganic Chemistry (2016) 21 (1) 83-89 - doi : 10.1007/s00775-015-1316-9

Abstract

Garda Z., Forgacs A., Do Q. N., Kalman F. K., Timari S., Baranyai Z., Tei L., Toth I., Kovacs Z., and Tircso G. (2016)

Physico-chemical properties of Mn-II complexes formed with cis- and trans-DO2A : thermodynamic, electrochemical and kinetic studies

Journal of Inorganic Biochemistry (2016) 163, 206-2013

Abstract

Cressier D., Dhilly M., Cao Pham T. T., Fillesoye F., Gourand F., Maiza A., Martins A. F., Morfin J.-F., Geraldes C. F. G. C., Toth E. and Barre L. (2016)

Gallium-68 Complexes Conjugated to Pittsburgh Compound B : Radiolabeling and Biological Evaluation

Molecular Imaging and Biology (2016) 18 (3) 334-343

Abstract

Plissonneau M., Pansieri J., Heinrich-Balard L., Morfin J.-F., Stransky-Heilkron N., Rivory P., Mowat P., Dumoulin M., Cohen R. A., Allémann E., Tóth É., Saraiva M. J., Louis C., Tillement, O., Forge V., Lux F. and Marquette C. M. (2016)

Gd-nanoparticles functionalization with specific peptides for β -amyloid plaques targeting

Journal of Nanobiotechnology (2016) 14 (1) 60 - doi : 10.1186/s12951-016-0212-y

Abstract

Schmitt J., Heitz V., Sour A., Bolze F., Kessler P., Flamigni L., Ventura B., Bonnet C. S. and Toth E. (2016)

A Theranostic Agent Combining a Two-Photon-Absorbing Photosensitizer for Photodynamic Therapy and a Gadolinium(III) Complex for MRI Detection

Chemistry - A European Journal (2016) 22 (8) 2775-2786 - doi : 10.1002/chem.201503433

Abstract

Domingos L., Desrus A., Même S. and Même W. (2016)

L-Phosphinothrinic modulation of inwardly rectifying K⁺ channels increased excitability in striatal medium-sized spiny neurons

Archives of Toxicology (2016) 90 (7) 1719–1727 - doi : 10.1007/s00204-016-1721-z

Aríñez-Soriano J., Albalad J., Carné-Sánchez A., Bonnet C. S., Busqué F., Lorenzo J., Juanhuix J., Terban M. W., Imaz I., Tóth É. and MasPOCH D. (2016)

pH-responsive relaxometric behaviour of coordination polymer nanoparticles made of a stable macrocyclic gadolinium macrocyclic chelate

Chemistry - A European Journal (2016) 22 (37) 13162-13170 - doi : 10.1002/chem.201602356

Abstract

Sour A., Jenni S., Ortí-Suárez A., Schmitt J., Heitz V., Bolze F., Loureiro de Sousa P., Po C., Bonnet C. S., Pallier Agnè, Tóth É., Ventura B. (2016)

Four Gadolinium(III) Complexes Appended to a Porphyrin : A Water-Soluble Molecular Theranostic Agent with Remarkable Relaxivity Suited for MRI Tracking of the Photosensitize

Inorganic Chemistry (2016) 55 (9) 4545-4554 - doi : 10.1021/acs.inorgchem.6b00381

Abstract

Bonnet C. S. and Tóth E. (2016)

Smart Contrast Agents for Magnetic Resonance Imaging

Chimia (2016) 70 (1-2) 102-108 - doi : 10.2533/chimia.2016.102

Tircso G., Regueiro-Figueroa M., Nagy V., Garda Z., Garai T., Kalman F. K., Esteban-Gomez D., Tóth E. and Platas-Iglesias C. (2016)

Approaching the Kinetic Inertness of Macroyclic Gadolinium(III)-Based MRI Contrast Agents with Highly Rigid Open-Chain Derivatives

Chemistry - A European Journal (2016) 22 (3) 896-901 - doi : 10.1002/chem.201503836

Abstract

2015 Références trouvées : 13

Zhang, W. Y. Martinelli J., Mayer F., Bonnet C. S., Szeremeta F. and Djanashvili K. (2015)

Molecular architecture control in synthesis of spherical Ln-containing nanoparticles

Rsc Advances (2015) 5 (85) 69861-69869 - doi : 10.1039/c5ra09374k

Abstract

Martins A. F., Oliveira A. C., Morfin J.-F., Laurents D. V., Tóth E. and Geraldès C. F. (2015)

Associating a negatively charged GdDOTA-derivative to the Pittsburgh compound B for targeting Abeta amyloid aggregates

Journal of biological inorganic chemistry (2016) 21 (1) 83-99 - doi : 10.1007/s00775-015-1316-9

Abstract

Farkas E., Fodor T., Kalman F. K., Tircso G. and Tóth E. (2015)

Equilibrium and dissociation kinetics of the Al(NOTA) complex (NOTA=1,4,7-triazacyclononane-1,4,7-triacetate)

Reaction Kinetics Mechanisms and Catalysis (2015) 116 (1) 19-33 - doi : 10.1007/s11144-015-0892-6

Abstract

Cressier D., Dhilly M., Cao Pham T. T., Fillesoye F., Gouraud F., Maiza A., Martins A. F., Morfin J.-F., Geraldès C. F., Tóth E. and Barre L. (2015)

Gallium-68 Complexes Conjugated to Pittsburgh Compound B : Radiolabeling and Biological Evaluation

Molecular imaging and biology (2016) 18 (3) 334-343 - doi : 10.1007/s11307-015-0906-9

Abstract

Carrouée A., Allard-Vannier E., Même S., Szeremeta F., Beloeil J.-C. and Chourpa I. (2015)

Sensitive Trimodal Magnetic Resonance Imaging-Surface-Enhanced Resonance Raman Scattering-Fluorescence Detection of Cancer Cells with Stable Magneto-Plasmonic Nanoprobes

Analytical Chemistry (2016) 87 (22) 11233-11241 - doi : 10.1021/acs.analchem.5b02419

Abstract

Oukhatar, F., Meudal, H., Landon, C., Logothetis, N. K., Platas-Iglesias, C., Angelovski, G., Tóth, É. (2015)

Macrocyclic Gd(3+) Complexes with Pendant Crown Ethers Designed for Binding Zwitterionic Neurotransmitters

Chemistry - A European Journal (2015) 21 (31) 11226-11237 - doi : 10.1002/chem.201500542

Abstract

Bonnet, C. S., Laine, S., Buron, F., Tircsó, G., Pallier, A., Helm, L., Suzenet, F., Tóth, É. (2015)

A Pyridine-Based Ligand with Two Hydrazine Functions for Lanthanide Chelation : Remarkable Kinetic Inertness for a Linear, Bishydrated Complex

Inorganic Chemistry (2015) 54 (12) 5991-6003 - doi : 10.1021/acs.inorgchem.5b00804

Abstract

Regueiro-Figueroa, M., Barriada, J. L., Pallier, A., Esteban-Gómez, D., de Blas, A., Rodríguez-Blas, T., Tóth, É., Platas-Iglesias, C. (2015)

Stabilizing Divalent Europium in Aqueous Solution Using Size-Discrimination and Electrostatic Effects

Inorganic Chemistry (2015) 54 (10) 4940-4952 - doi : 10.1021/acs.inorgchem.5b00548

Abstract

Kalman F. K., Vegh A., Regueiro-Figueroa M., Toth E., Platas-Iglesias C. and Tircso G. (2015)

H4octapa : highly stable complexation of lanthanide(III) ions and copper(II)

Inorganic chemistry (2015) 54 (5) 2345-2356 - doi : 10.1021/ic502966m

Abstract

Sarou-Kanian V., Joudiou N., Louat F., Yon M., Szeremeta F., Meme S., Massiot D., Decoville M., Fayon F., Beloeil J.-C. (2015)

Metabolite localization in living drosophila using High Resolution Magic Angle Spinning NMR

Scientific Reports (2015) 5 9872 - doi : 10.1038/srep09872

Abstract

Kaščáková, Slávka Giuliani, Alexandre Lacerda, Sara Pallier, Agnès Mercère, Pascal Tóth, Éva Réfrégiers, Matthieu (2015)

X-ray-induced radiophotodynamic therapy (RPDT) using lanthanide micelles : Beyond depth limitations

Nano Research (2015) 1-7 - doi : 10.1007/s12274-015-0747-5

Abstract

Martins A. F., Dias D.M., Morfin J.-F., Lacerda S., Laurents D. V., Tóth É., Geraldes C. F. G. C. (2015)

Interaction of PiB-Derivative Metal Complexes with Beta-Amyloid Peptides : Selective Recognition of the Aggregated Forms

Chemistry – A European Journal (2015) 21 (14) 5413-5422 - doi : 10.1002/chem.201406152

Abstract

Oukhatar, F., Même, S., Même, W., Szeremeta, F., Logothetis, N.K., Angelovski, G. and Tóth, E. (2015)

MRI Sensing of Neurotransmitters with a Crown Ether Appended Gd³⁺ Complex

ACS Chemical Neuroscience (2015) 6 (2) 219-225 - doi : 10.1021/cn500289y

Abstract

2014 Références trouvées : 8

Morfin J.-F., Beloeil J.-C., Toth E. (2014)

Agents de contraste pour l'IRM

Techniques de l'ingénieur Chimie organique et minérale (2014) AF 6 818-1/AF 6 818-19

Abstract

Martins, A. F. Eliseeva, S. V. Carvalho, H. F. Teixeira, J. M. C. Paula, C. T. B. Hermann, P. Platas-Iglesias, C. Petoud, S. Toth, E. Geraldes, Cfgc (2014)

A Bis(pyridine N-oxide) Analogue of DOTA : Relaxometric Properties of the Gd-III Complex and Efficient Sensitization of Visible and NIR-Emitting Lanthanide(III) Cations Including Pr-III and Ho-III

Chemistry-a European Journal (2015) 20 (45) 14834-14845 - doi : 10.1002/chem.201403856

Abstract

Bonnet, C.S., Caillé, F., Pallier, A., Morfin, J.-F., Petoud, S., Suzenet, F., Tóth, É. (2014)

Mechanistic Studies of Gd³⁺-Based MRI Contrast Agents for Zn²⁺ Detection : Towards Rational Design

Chemistry – A European Journal (2014) 20 (35) 10959-10969 - doi : 10.1002/chem.201403043

Abstract

Fredy, J.W., Scelle, J., Guenet, A., Morel, E., Adam de Beaumais, S., Ménand, M., Marvaud, V., Bonnet, C.S., Tóth, E., Sollogoub, M., Vives, G., Hasenknopf, B. (2014)

Cyclodextrin Polyrotaxanes as a Highly Modular Platform for the Development of Imaging Agents

Chemistry - A European Journal (2014) 20 (35) 10915-10920 - doi : 10.1002/chem.201403635

Abstract

Mayer, F., Zhang, W.Y., Brichart, T., Tillement, O., Bonnet, C.S., Toth, E., Peters, J. A. and Djanashvili, K. (2014)

Nanozeolite-LTL with Gd-III Deposited in the Large and Eu-III in the Small Cavities as a Magnetic Resonance Optical Imaging Probe

Chemistry - A European Journal (2014) 20 (12) 3358-3364 - doi : 10.1002/chem.201304457

Abstract

Roger M., Regueiro-Figueroa M., Ben Azzeddine C., Patinec V., Bonnet C. S., Platas-Iglesias C. and Tripier R (2014)

Lanthanide Complexes with Heteroditopic Ligands as Fluorescent Zinc Sensors

European Journal of Inorganic Chemistry (2014) (6) 1072-1081 - doi : 10.1002/ejic.201301426

Abstract

Martins AF, Morfin JF, Geraldes CF, Tóth E. (2014)

Gd(3+) complexes conjugated to Pittsburgh compound B : potential MRI markers of β-amyloid plaques.

J Biol Inorg Chem. 19 (2) 281-295 doi : 10.1007/s00775-013-1055-8

Abstract

Bonnet C.S. and Toth E. (2014)

Radiodiagnostic agents and Magnetic Resonance Imaging (MRI) agent

In "Ligand Design In Medicinal Inorganic Chemistry" (2014) John Wiley & Sons - ISBN : 978-1-118-48852-2

Abstract

2013 Références trouvées : 9

Teng F., Beray-Berthat V., Coqueran B., Lesbats C., Kuntz M., Palmier B., Garraud M., Bedfert C., Slane N., Berezowski V., Szeremeta F., Hachani J., Scherman D., Plotkine M., Doan B. T., Marchand-Leroux C. and Margail I. (2013)

Prevention of rt-PA induced blood-brain barrier component degradation by the poly(ADP-ribose)polymerase inhibitor PJ34 after ischemic stroke in mice

Experimental neurology (2013) 248, 416-428 - doi : 10.1016/j.expneurol.2013.07.007

Abstract

Tóth E., Helm L. and Merbach A. (2013)

Relaxivity of Gadolinium(III) Complexes : Theory and Mechanism

In "The Chemistry of Contrast Agents in Medical Magnetic Resonance Imaging" - John Wiley & Sons, 25-81 - doi : 10.1002/9781118503652.ch2

Bonnet C.S., Tei L., Botta M. and Tóth E. (2013)

Responsive probes

In "The Chemistry of Contrast Agents in Medical Magnetic Resonance Imaging" - John Wiley & Sons, chap 8, 343-385

Carne-Sánchez A., Bonnet C.S., Imaz I., Lorenzo J., Toth E. and MasPOCH D. (2013)

Relaxometry studies of a highly stable nanoscale metal-organic framework made of Cu(II), Gd(III), and the macrocyclic DOTP

Journal of the American Chemical Society (2013) 135 (47) 17711-17714 - doi : 10.1021/ja4094378

Abstract

Martins A.F., Morfin J.F., Kubíčková A., Kubíček V., Buron F., Suzenet F., Salerno M., Lazar A.N., Duyckaerts V., Arlicot N., Guilloteau D., Geraldès C.F.G.C. and Tóth E. (2013)

PiB-Conjugated, Metal-Based Imaging Probes : Multimodal Approaches for the Visualization of β -Amyloid Plaques

ACS Medicinal Chemistry Letters 4 (5) 436-440

Abstract

de Sá A., Bonnet C.S., Geraldès C.F., Tóth É., Ferreira P.M. and André J.P. (2013)

Thermodynamic stability and relaxation studies of small, triaza-macrocyclic Mn(II) chelates

Dalton Trans. 42 (13) 4522-4532

Abstract

Mendonça A.C., Martins A.F., Melchior A., Marques S.M., Chaves S., Villette S., Petoud S., Zanonato P.L., Tolazzi M., Bonnet C.S., Tóth E., Di Bernardo P., Geraldès C.F. and Santos M.A. (2013)

New tris-3,4-HOPO lanthanide complexes as potential imaging probes : complex stability and magnetic properties

Dalton Transactions 42 (17) 6046-6057

Abstract

Lacerda, S., Bonnet, C.S., Pallier, A., Villette, S., Foucher, F., Westall, F., Buron, F., Suzenet, F., Pichon, C., Petoud, S. and Tóth, E. (2013)

Lanthanide-Based, Near-Infrared Luminescent and Magnetic Lipoparticles : Monitoring Particle Integrity

Small (2013) 9 (16) 2662-2666 - doi : 10.1002/smll.201201923

Abstract

Ferreira, M.F., Martins, A.F., Martins, C.I., Ferreira, P.M., Tóth, E., Rodrigues, T.B., Calle, D., Cerdan, S., López-Larrubia, P., Martins, J.A. and Geraldes, C.F. (2013)

Amide conjugates of the DO3A-N-(α -amino)propionate ligand : leads for stable, high relaxivity contrast agents for MRI ?

Contrast Media Mol Imaging 8 (1) 40-49

Abstract

2012 Références trouvées : 9

Bonnet, C.S. and Tóth, E. (2012)

MRI Contrast Agents, In Supramolecular Chemistry : From Molecules to Nanomaterials

In Self-Assembly and Supramolecular Devices, Eds. Gale, P. and Steed, J. John, Wiley & Sons (2012) vol. 5, 2693-2723

Abstract

Roca-Sabio, A., Bonnet, C.S., Mato-Iglesias, M., Esteban-Gómez, D., Tóth, E., de Blas, A., Rodríguez-Blas T. and C. Platas-Iglesias, C. (2012)

Lanthanide Complexes Based on a Diazapyridinophane Platform containing Picolinate Pendants

Inorg. Chem. (2012) 51 10893-10903

Abstract

Drahoš, B., Lukeš, I. and Tóth, E. (2012)

Mn²⁺ complexes as potential contrast agents for MRI

European Journal of Inorganic Chemistry 2012 (12) 1975-1986

Abstract

Tircsó, G. ; Kálmán, F.K., Pál, R., Bányai, I. Varga, T.R., Király, R., Lázár, I., Québatte, L., Merbach, A.E., Tóth, E. and Brücher, E. (2012)

Lanthanide Complexes Formed with the Tri- and Tetraacetate Derivatives of Bis(aminomethyl)phosphinic Acid : Equilibrium, Kinetic and NMR Spectroscopic Studies

European Journal of Inorganic Chemistry 2012 (12) 2062–2073

Abstract

Lima, L.M.P., Delgado, R., Hermann, P., Sevcik, R., Lubal, P., Carvalho, H.F., Martins, A.F., Toth, E. and Geraldes, CFGC (2012)

Tris(phosphonomethyl)cyclen Derivatives : Thermodynamic Stability, Kinetics, Solution Structure, and Relaxivity of Ln(3+) Complexes

European Journal of Inorganic Chemistry 2012 (15) 2548-2559

Abstract

Caillé, F, Bonnet, CS, Buron, F, Villette, S, Helm, L, Petoud, S, Suzenet, F. & Tóth E. (2012)

Isoquinoline-Based Lanthanide Complexes : Bright NIR Optical Probes and Efficient MRI Agents

Inorganic Chemistry 51 (4) 2522-2532

Abstract

Chauvin, T, Torres, S, Rosseto, R, Kotek, J, Badet, B, Durand, P. & Tóth, E. (2012)

Lanthanide(III) Complexes That Contain a Self-Immolate Arm : Potential Enzyme Responsive Contrast Agents for Magnetic Resonance Imaging

Chemistry - a european journal 18 (5) 1408-1418

Abstract

Bonnet, CS, Buron, F, Caillé, F, Shade, CM, Drahoš, B, Pellegatti, L, Zhang, J, Villette, S, Helm, L, Pichon, C, Suzenet, F, Petoud, S. & Tóth E. (2012)

Pyridine-Based Lanthanide Complexes Combining MRI and NIR Luminescence Activities

Chemistry - a european journal 18 (5) 1419-1431

Abstract

Bonnet, C.S., Devocelle, M. & Gunnlaugsson, T. (2012)

Luminescent lanthanide-binding peptides : sensitising the excited states of Eu(III) and Tb(III) with a 1,8-naphthalimide-based antenna

Organic & Biomolecular Chemistry 10 (1) 126-133

Abstract

2011 Références trouvées : 11

Drahos, B., Pniok, M., Havlickova, J., Kotek, J., Cisarova, I., Hermann, P., Lukes, I., Toth, E. (2011)

Mn²⁺ complexes of 1-oxa-4,7-diazacyclononane based ligands with acetic, phosphonic and phosphinic acid pendant arms : Stability and relaxation studies

Dalton Transactions (2011) 40 (39) 10131-10146 - doi : 10.1039/C1DT10543D

Abstract

Morfin, J. F. and Toth, E. (2011)

Kinetics of Ga(NOTA) Formation from Weak Ga-Citrate Complexes

Inorganic Chemistry 50 (20) 10371-10378

Abstract

Drahos, B. ; Kotek, J. ; Cisarova, I. ; Hermann, P. ; Helm, L. ; Lukes, I. and Toth, E. (2011)

Mn(2+) Complexes with 12-Membered Pyridine Based Macrocycles Bearing Carboxylate or Phosphonate Pendant Arm : Crystallographic, Thermodynamic, Kinetic, Redox, and (1)H/(17)Q

Relaxation Studies. Inorganic Chemistry 50 (24) 12785-12801

Abstract

Henig, J., Mamedov, I., Fouskova, P., Toth, E., Logothetis, N. K., Angelovski, G. & Mayer, H. A. (2011)

Influence of Calcium-Induced Aggregation on the Sensitivity of Aminobis(methylenephosphonate)-Containing Potential MRI Contrast Agents.

Inorganic Chemistry 50 (14) 6472-6481

Abstract

Ferreiros-Martinez, R. Esteban-Gomez, D. Toth, E. de Blas, A. Platas-Iglesias, C. & Rodriguez-Blas, T. (2011)

Macrocyclic Receptor Showing Extremely High Sr(II)/Ca(II) and Pb(II)/Ca(II) Selectivities with Potential Application in Chelation Treatment of Metal Intoxication

Inorganic Chemistry - 50 (8) 3772-3784

Delgado-Pinar, E. Albelda, M. T. Frias, J. C. Barreiro, O. Tejera, E. Kubicek, V. Jimenez-Borreguero, L. J. Sanchez-Madrid, F. Toth, E. Alarcon, J. & Garcia-Espana, E. (2011)

Lanthanide complexes as imaging agents anchored on nano-sized particles of boehmite

Dalton Transactions - 40 (24) 6451-6457

Caille, F. Buron, F. Toth, E. & Suzenet, F. (2011)

Efficient Access to C1-and C3-Functionalized Isoquinolines : Towards Potential Lanthanide Ligands

European Journal of Organic Chemistry (11) 2120-2127

Drahoš, B., Kubíček, V., Bonnet, C.S., Hermann, P., Lukeš, I. and Tóth, E. (2011)

Dissociation kinetics of Mn²⁺ complexes of NOTA and DOTA

Dalton Trans. 40 (9) 1945-1951
Lothar, H. & Toth, E. (2011)

Gadolinium-based Bionanomaterials for Magnetic Resonance Imaging

In "Nanomaterials Handbook", Balaji, Sitharaman Ed., CRC Press, 1-34
Surman, A. J., Bonnet, C.S., Lowe, M.P., Kenny, G.D., Bell, J.D., Tóth, E. & Vilar, R. (2011)

A pyrophosphate-responsive gadolinium(III) MRI contrast agent

Chem. Eur. J. 17 (1) 223-230
Angelovski, G., Chauvin, T., Pohmann, R., Logothetis, K. & Toth E. (2011)

Calcium-responsive paramagnetic CEST agents

Bioorg. Med. Chem. 19 (3) 1097-1105

2010 Références trouvées : 13

Toth, E. & Petoud, S. (2010)

Welcome to 'Molecular Probes in Optical and Magnetic Resonance Imaging' FOREWORD.

Future Medicinal Chemistry 2 (3) 305-306
Bonnet, C. S. & Toth, E. (2010)

MRI probes for sensing biologically relevant metal ions.

Future Medicinal Chemistry 3 (2) 367-384
Horvath, D. Brutovsky, B. Kocisova & J. Sprinc, S. (2010)

Manipulation with heterogeneity within a species population formulated as an inverse problem

Physica a-Statistical Mechanics and Its Applications - 389 (21) 5028-5036
Kubíček, V., Havlíčková, J., Kotek, J., Tircsó, G., Hermann, P., Tóth, E. & Lukeš, I. (2010)

Gallium(III) complexes of DOTA and DOTA-monoamide : kinetic and thermodynamic studies

Inorg. Chem. (2010) 49, 10960-10969
Regueiro-Figueroa, K., Djanashvili, K., Esteban-Gomez, D., Chauvin, T., Toth, E., Blas, T.R. & Platas-Iglesias, C. (2010)

Molecular Recognition of sialic Acid by Lanthanide (III) Complexes through Cooperative Two-site binding.

Inorg. Chem. 49, 4212-4223
Henig, J., Tóth, E., Engelmann, J., Gottschalk, S. & Mayer, H.A. (2010)

Macrocyclic Gd³⁺ Chelates Attached to a Silsesquioxane Core as Potential MRI Contrast Agents - Synthesis, Physicochemical Characterization and Stability Studies.

Inorg. Chem. 49, 6124-6138
Garcia, R., Kubícek, V., Drahoš, B., Gano, L., Santos, I.C., Campello, P., Paulo, A., Tóth, E. & Santos, I. (2010)

Synthesis, Characterization and Biological Evaluation of In(III) Complexes Anchored by DOTA-like Chelators Bearing a Quinazoline Moiety.

Metallomics 2, 571-580
Campello, M.P., Lacerda, S., Santos, A.C., Pereira, G.A., Geraldes, C.F., Kotek, J., Hermann, P., Vanek, J., Lubal, P., Toth, E. & Santos, I. (2010)

Lanthanide (III) Complexes of 4,10-Bis (phosphonomethyl)-1,4,7,10-tetraazacyclododecane-1,7-diacetic acid (trans-H₆do₂a₂p) in Solution and in the Solid State : Structural Studies Along the Series.

Chem. Eur. J. 16, 8446-8465
Bonnet, C.S. & Toth, E. (2010)

Towards highly efficient, intelligent and bimodal imaging probes : novel approaches provided by lanthanide coordination chemistry.

C. R. Chimie 13, 700-714
Schuhle, D.T., Polasek, M., Lukes, I., Chauvin, T., Toth, E., Schatz, J., Hanefeld, U., Stuart, M.C.A. & Peters, J.A. (2010)

Densely packed Gd(III)-chelates with fast water exchange on a calix[4]arene scaffold : a potential MRI contrast agent.

Dalton Trans. 39, 185-191.
Drahos, B., Kotek, J., Hermann, P., Lukes, I. & Toth, E. (2010)

Mn²⁺ Complexes with Pyridine-Containing 15-Membered Macrocycles : Thermodynamic, Kinetic, Crystallographic, and H-1/O-17 Relaxation Studies.

Inorg. Chem. 49, 3224-3238.
Bonnet, C.S. & Toth, E. (2010)

Smart MR Imaging Agents Relevant to Potential Neurologic Applications.

Am. J. Neuroradiol. 31, 401-409.

Bonnet, C.S., Pellegatti, L., Buron, F., Shade, C.M., Villette, S., Kubicek, V., Guillaumet, G., Suzenet, F., Petoud, S. & Toth, E. (2010)

Hydrophobic chromophore cargo in micellar structures : a different strategy to sensitize lanthanide cations.

Chem. Commun. 46, 124-126.

2009 Références trouvées : 7

Kubíček, V. & Tóth, E. (2009)

Design and function of metal complexes as contrast agents in MRI

In “Advances in Inorganic Chemistry”, Eds. C. D. Hubbard and R. van Eldik, Vol. 61, “Metal Ion Controlled Reactivity” ; 2009, 61, 63-129

Roca-Sabio, A., Mato-Iglesias, M., Esteban-Gomez, D., Toth, E., de Blas, A., Platas-Iglesias, C. & Rodriguez-Blas, T. (2009)

Macrocyclic Receptor Exhibiting Unprecedented Selectivity for Light Lanthanides.

J. Am. Chem. Soc. 131, 3331-3341.

Palinkas, Z., Roca-Sabio, A., Mato-Iglesias, M., Esteban-Gomez, D., Platas-Iglesias, C., de Blas, A., Rodriguez-Blas, T. & Toth, E. (2009)

Stability, Water Exchange, and Anion Binding Studies on Lanthanide(III) Complexes with a Macrocyclic Ligand Based on 1,7-Diaza-12-crown-4 : Extremely Fast Water Exchange on the Gd³⁺ Complex.

Inorg. Chem. 48, 8878-8889.

Lacerda, S., Campello, M.P., Marques, F., Gano, L., Kubicek, V., Fouskova, P., Toth, E. & Santos, I. (2009)

A novel tetraazamacrocyclic bearing a thiol pendant arm for labeling biomolecules with radiolanthanides.

Dalton Trans. 23, 4509-4518.

Kubicek, V., Hamplova, A., Maribe, L., Mameri, S., Ziessel, R., Toth, E. & Charbonniere, L. (2009)

Relaxation and luminescence studies on hydrated bipyridyl- and terpyridyl-based lanthanide complexes.

Dalton Trans. 43, 9466-9474.

Garcia, R., Fouskova, P., Gano, L., Paulo, A., Campello, P., Toth, E. & Santos, I. (2009)

A quinazoline-derivative DOTA-type gallium(III) complex for targeting epidermal growth factor receptors : synthesis, characterisation and biological studies.

J. Biol. Inorg. Chem. 14, 261-271.
Ferreira, M.F., Martins, A.F., Martins, J.A., Ferreira, P.M., Toth, E. & Geraldes, C. (2009)

Gd(DO3A-N-alpha-aminopropionate) : a versatile and easily available synthon with optimized water exchange for the synthesis of high relaxivity, targeted MRI contrast agents.

Chem. Commun. 42, 6475-6477.

2008 Références trouvées : 14

Pellegatti, L., Zhang, J., Drahos, B., Suzenet, F., Petoud, S. & Tóth, E. (2008)

Lanthanide Complexes Operating as Bimodal Near Infrared Fluorescent Reporters and MRI Contrast Agents

Chem. Commun. 6591-6593.
Torres, S., Prata, M.I.M., Santos, A.C., Andre, J.P., Martins, J.A., Helm, L., Toth, E., Garcia-Martin, M.L., Rodrigues, T.B., Lopez-Larrubia, P., Cerdan, S. & Geraldes, C. (2008)

Gd(III)-EPTPAC(16), a new self-assembling potential liver MRI contrast agent : in vitro characterization and in vivo animal imaging studies.

NMR Biomed. 21, 322-336.
Pellegatti, L., Zhang, J., Drahos, B., Villette, S., Suzenet, F., Guillaumet, G., Petoud, S. & Toth, E. (2008)

Pyridine-based lanthanide complexes : towards bimodal agents operating as near infrared luminescent and MRI reporters.

Chem. Commun. 48, 6591-6593.
Mato-Iglesias, M., Roca-Sabio, A., Palinkas, Z., Esteban-Gomez, D., Platas-Iglesias, C., Toth, E., de Blas, A. & Rodriguez-Blas, T. (2008)

Lanthanide complexes based on a 1,7-diaza-12-crown-4 platform containing picolinate pendants : A new structural entry for the design of magnetic resonance imaging contrast agents.

Inorg. Chem. 47, 7840-7851.
Chauvin, T ; Durand, P ; Bernier, M ; Meudal, H ; Doan, BT ; Noury, F ; Badet, B ; Beloeil, JC ; Tóth, E (2008)

Detection of enzymatic activity by PARACEST MRI : a general approach to target a large variety of enzymes

Angew. Chem. Int. Edit. 47 (23) 4370 -4372
Dhingra, K ; Fousková, P ; Angelovski, G ; Maier, ME ; Logothetis, NK ; Tóth, E (2008)

Towards extracellular Ca²⁺ sensing by MRI : synthesis and calcium-dependent ¹H and ¹⁷O relaxation studies of two novel bismacrocyclic Gd³⁺ complexes

Journal of Biological Inorganic Chemistry 13 (1) 35-46

Abstract

Angelovski, G ; Fousková, P ; Mamedov, I ; Canals, S ; Tóth, E ; Logothetis, NK (2008)

Smart mri agents sensing extracellular calcium fluctuations

Chembiochem 9, 1729-1734

Claudel-Gillet, S ; Steibel, J ; Weibel, N ; Chauvin, T ; Port, M ; Raynal, I ; Toth, E ; Ziessel, RF ; Charbonnière, LJ (2008)

Lanthanide Based Conjugates as Polyvalent Probes for Biological Labeling

European Journal of Inorganic Chemistry

Loureiro de Sousa, P ; Livramento, JB ; Helm, L ; Merbach, AE ; Même, W ; Doan, BT ; Beloeil, JC ; Prata, MIM ; Santos, AC ; Geraldes CFGC ; Tóth, E (2008)

In vivo MRI assessment of a novel GdIII-based contrast agent designed for high magnetic field applications

Contrast Media and Molecular Imaging 3 (2) 78-85

Abstract

Hartman, KB ; Laus, S ; Bolskar, RD ; Muthupillai, R ; Helm, L ; Tóth, E ; Merbach, AE ; Wilson, LJ (2008)

Gadonanotubes as Ultrasensitive pH-smart Probes for Magnetic Resonance Imaging

Nanoletters 8, 415-419

Mishra, A ; Fousková, P ; Angelovski, G ; Balogh, E ; Mishra, AK ; Logothetis, NK ; Tóth, E (2008)

Facile Synthesis and Relaxation Properties of Novel Bis-polyazamacrocyclic Gd³⁺ Complexes : an Attempt towards Calcium Sensitive MRI Contrast Agents

Inorganic Chemistry 47 1370-1381

Livramento, JB ; Helm, L ; Sour, A ; O'Neil, C ; Merbach, AE ; Tóth, E (2008)

A benzene-core trinuclear GdIII complex : towards the optimization of relaxivity for MRI contrast agent applications at high magnetic field

Dalton Transactions (9) 1195-1202

Abstract

Richard, C ; Doan, BT ; Beloeil, JC ; Bessodes, M ; Toth, E ; Scherman, D (2008)

Noncovalent functionalization of carbon nanotubes with amphiphilic Gd³⁺ chelates : Toward powerful T-1 and T-2 MRI contrast agents

Nano Letters 8 232-236

Abstract

Torres, S ; Prata, MIM ; Santos, AC ; André, JP ; Martins, JA ; Toth, E ; García-Martín, ML ; Rodrigues, TB ; López-Larrubia, P ; Cerdán, S ; Geraldès, CFGC (2008)

Gd(III)-EPTPAC16, a new self-assembling potential liver MRI contrast agent : in vitro characterization and in vivo animal imaging studies

NMR in Biomedicine 21, 322-336.

Abstract

2007 Références trouvées : 6

Laus, S ; Sitharaman, B ; Tóth, E ; Bolskar, RD ; Helm, LM ; Wilson, LJ ; Merbach, AE (2007)

Understanding paramagnetic relaxation phenomena in water-soluble gadofullerenes

Journal of Physical Chemistry C 111 (15) 5633-5639

Abstract

Jászberényi, Z ; Moriggi, L ; Schmidt, P ; Weidensteiner, C ; Kneuer, R ; Merbach, AE ; Helm, L ; Tóth, E (2007)

Physicochemical and MR imaging characterisation of Gd³⁺ loaded PAMAM and hyperbranched dendrimers

Journal of Biological Inorganic Chemistry 12 406-420

Balogh, E ; Tripier, R ; Fouskova, P ; Reviriego, F ; Handel, H ; Tóth, E (2007)

Monopropionate analogues of DOTA4- and DTPA5- : kinetics of formation and dissociation of their lanthanide(III) complexes

Dalton Transactions (32) 3572-3581

Abstract

Torres, S ; Martins, JA ; André, JP ; Pereira, GA ; Kiraly, R ; Brücher, E ; Helm, L ; Tóth, E ; Geraldès, CFGC (2007)

H₅EPTPACH₂OH : Synthesis, relaxometric characterization and H-1 NMR studies of the solution dynamics of its Ln(III) complexes

European Journal of Inorganic Chemistry (35) 5489-5499

Abstract

Lebdušková, P ; Hermann, P ; Helm, L ; Tóth, E ; Kotek, J ; Binnemans, K ; Rudovský, J ; Lukeš, I ; Merbach, AE (2007)

Gadolinium(III) Complexes of Mono- and Diethyl Esters of Monophosphonic Acid Analogue of DOTA as Potential MRI Contrast Agents : Solution Structures and Relaxometric Studies

Dalton Transactions (4) 493-501

Abstract

Balogh, E ; He, Z ; Hsieh, W ; Liu, S ; Tóth, E (2007)

Dinuclear Complexes Formed with the Triazacyclononane Derivative ENOTA4-. High Pressure ^{17}O NMR evidence of an associative water exchange on $[\text{MnII}2(\text{ENOTA})(\text{H}_2\text{O})_2]$.

Inorganic Chemistry 46 (1) 238-250

Abstract

2006 Références trouvées : 8

Costa, J ; Balogh, E ; Turcry, V ; Tripier, R ; Le Baccon, M ; Chuburu, F ; Handel, H ; Helm, L ; Tóth, E ; Merbach, AE (2006)

Unexpected aggregation in aqueous solution of neutral, xylene-cored dinuclear GdIII chelates in aqueous solution

Chemistry-A European Journal 12 (26) 6841-6851

Abstract

Torres, S ; André, JP ; Martins, JA ; Geraldès, CFGC ; Merbach, AE ; Tóth, E (2006)

Supramolecular assembly of an amphiphilic GdIII chelate : tuning the reorientational correlation time and the water exchange rate

Chemistry-A European Journal 12 (3) 940-948

Abstract

Livramento, JB ; Sour, A ; Borel, A ; Merbach, AE ; Tóth, E (2006)

Six Gd³⁺ ions densely packed in a starburst-shaped heterometallic compound

Chemistry-A European Journal 12 (4) 989-1003

Abstract

Balogh, E ; Mato-Iglesias, M ; Djanashvili, K ; Peters, JA ; de Blas, A ; Rodríguez-Blas, T ; Platas-Iglesias, C ; Tóth, E (2006)

Pyridine and phosphonate containing acyclic ligands for stable lanthanide complexation. Unprecedentedly fast water exchange on the GdIII chelates

Inorganic Chemistry 45 8719-8728
Mato-Iglesias, M ; Balogh, E ; Platas-Iglesias, C ; Tóth, E ; de Blas, A ; Rodríguez-Blas, T (2006)

Pyridine and phosphonate containing acyclic ligands for stable lanthanide complexation. An experimental and theoretical study to assess solution structure of LnIII complexes

Dalton Transactions 5404-5415
Burai, L ; Tóth, E ; Bazin, H ; Benmelouka, M ; Jászberényi, Z ; Helm, L ; Merbach, AE (2006)

Positively Charged GdIII Cryptates : Slow, Associative Water Exchange

Dalton Transactions 629-634
Lebdušková, P ; Sour, A ; Helm, L ; Tóth, E ; Kotek, J ; Lukeš, I ; Merbach, AE (2006)

Phosphinic derivative of DTPA conjugated to a G5 PAMAM dendrimer : an ¹⁷O and ¹H relaxometric study of its Gd(III) complex

Dalton Transactions 3399-3406

Abstract
Livramento, JB ; Weidensteiner, C ; Prata, MIM ; Allegrini, PR ; Geraldes, CFGC ; Helm, L ; Kneuer, R ; Merbach, AE ; Santos, AC ; Schmidt, P ; Tóth, E (2006)

First in vivo MRI assessment of a self-assembled metallostar compound endowed with a remarkable high field relaxivity

Contrast Media & Molecular Imaging 1 (1) 30-40

Abstract

2005 Références trouvées : 13

Tóth, E ; Bolskar, RD ; Borel, A ; González, G ; Helm, L ; Merbach, AE ; Sitharaman, B ; Wilson, LJ (2005)

Water-soluble Gadofullerenes : Toward High-relaxivity, pH-responsive MRI Contrast Agents

Journal of The American Chemical Society 127 (2) 799-805

Abstract
Mato-Iglesias, M ; Platas-Iglesias, C ; Djanashvili, K ; Peters, JA ; Tóth, E ; Balogh, E ; Muller, RN ; Vander Elst, L ; de Blas, L ; Rodríguez-Blas, T (2005)

The highest water exchange rate ever measured for a Gd(III) chelate

Chemical Communications (37) 4729-4731

Abstract

Jászberényi, Z ; Tóth, E ; Kálai, T ; Király, R ; Burai, Brücher, E ; Merbach, AE ; Hideg, K (2005)

Synthesis and complexation properties of DTPA-N,N,N'',N''-bis[bis(butyl)]-N'-methyl-tris(amide). Kinetic stability and water exchange of its Gd³⁺ complex

Dalton Transactions 694-701.

Abstract

Sitharanam, B ; Kissel, KR ; Hartman, KB ; Tran, LA ; Baikalov, A ; Rusakova, R ; Sun, Y ; Khant, HA ; Ludtke, SJ ; Chiu, W ; Laus, S ; Tóth, E ; Helm, L ; Merbach, AE ; Wilson, LJ (2005)

Superparamagnetic Gadonanotubes Are High-Performance MRI Contrast Agents

Chemical Communications 3915-3917

Abstract

Burai, L ; Tóth, E ; Sour, A ; Merbach, AE (2005)

Separation and characterization of the two diastereomers for [Gd(DTPA-bz-NH₂)(H₂O)]₂-, a common synthon in macromolecular MRI contrast agents. Their water exchange and isomerization kinetics

Inorganic Chemistry 44 (10) 3561-3568

Abstract

Laus, S ; Sour, A ; Ruloff, R ; Tóth, E ; Merbach, AE (2005)

Rotational Dynamics Account for pH-Dependent Relaxivities of PAMAM Dendrimeric, Gd-based Potential MRI Contrast Agents

Chemistry, A European Journal 11 3064-3076

Abstract

Pereira, GA ; Ananias, D ; Rocha, J ; Amaral, VS ; Muller, RN ; Vander Elst, L ; Tóth, E ; Peters, JA ; Geraldes, CFGC (2005)

NMR studies and evaluation of relaxivity parameters of Ln³⁺-based zeolites

Journal of Materials Chemistry 15 3832-3837

Baía, P ; André, J ; Geraldes, CFGC ; Martins, JA ; Merbach, AE ; Tóth, E (2005)

Lanthanide(III) chelates of DTPA-bisamide glycoconjugates : potential imaging agents targeted for the asialoglycoprotein receptor

European Journal of Inorganic Chemistry 2110-2119

Balogh, E ; Tripier, R ; Ruloff, R ; Tóth, E (2005)

Kinetics of formation and dissociation of lanthanide(III) complexes with the 13-membered macrocyclic ligand TRITA4-

Dalton Transactions 1058-1065

Abstract

Livramento, JB ; Tóth, E ; Sour, A ; Borel, A ; Merbach, AE ; Ruloff, R (2005)

High Relaxivity Confined to a Small Molecular Space : A Metallostar-based, Potential MRI Contrast Agent

Angewandte Chemie, International Edition 44 1504-1508

Jászberényi, Z ; Sour, A ; Tóth, E ; Benmelouka, M ; Merbach, AE (2005)

Fine-tuning water exchange on Gd^{III} poly(amino carboxylates) by modulation of steric crowding

Dalton Transactions 2713-2719

Costa, J ; Tóth, E ; Helm, L ; Merbach, AE (2005)

Dinuclear, bishydrated Gd^{III} polyaminocarboxylates with a rigid xylene core display remarkable proton relaxivities

Inorganic Chemistry 44 4747-4755

Laus, S ; Sitharaman, B ; Tóth, E ; Bolskar, RD ; Helm, L ; Asokan, S ; Wong, MS ; Wilson, LJ ; Merbach, AE (2005)

Destroying Gadofullerene Aggregates by Salt Addition in Aqueous Solution of Gd@C₆₀(OH)_x and Gd@C₆₀[C(COOH)₂]₁₀

Journal of The American Chemical Society 127 9368-9369

2004 Références trouvées : 3

Tóth, E ; Helm, L ; Merbach, AE (2004)

MRI Contrast Enhancement Agents

in "Comprehensive Coordination Chemistry II", Vol. 9, Editor(s) : McCleverty, Jon A. ; Meyer, Thomas J. Publisher : Elsevier Ltd., Oxford, UK, p. 841-881

Andre, JP ; Geraldes, CFGC ; Martins, JA ; Merbach, AE ; Prata, MIM ; Santos, AC ; de Lima, JJP ; Toth, E (2004)

Lanthanide(III) Complexes of DOTA-Glycoconjugates : a Potential New Class of Lectin-Mediated Medical Imaging Agent

Chemistry-A European Journal, 10 (22) 5804-5816

Abstract

Fatin-Rouge, N ; Toth, E ; Meuli, R ; Bunzli, JCG (2004)

Enhanced Imaging Properties of a GdIII Complex with Unusually Large Relaxivity

Journal of Alloys and Compounds 374 (1-2) 298-302

Abstract

2003 Références trouvées : 5

Platas-Iglesias, C ; Corsi, DM ; Vander Elst, L ; Muller, RN ; Imbert, D ; Bunzli, JCG ; Toth, E ; Maschmeyer, T ; Peters, JA (2003)

Stability, Structure and Dynamics of Cationic Lanthanide(III) Complexes of N,N'-Bis(propylamide)ethylenediamine-N,N'-diacetic acid

Dalton Transactions (4) 727-737

Abstract

Burai, L ; Tóth, E ; Moreau, G ; Sour, A ; Scopelliti, R ; Merbach, AE (2003)

Novel macrocyclic EuII complexes : fast water exchange related to an extreme metal-coordinated water oxygen distance

Chemistry, A European Journal 9 1394-1404

Helm, L ; Toth, E ; Merbach, AE (2003)

Lanthanide ions as magnetic resonance imaging agents. Nuclear and electronic relaxation properties. Applications.

Metal Ions in Biological Systems, Sigel, S ; Sigel, Vol. H 40 589-642 - Editor(s) : Eds.

Marcel Dekker Inc. New York

Burai, L ; Toth, E ; Merbach, AE (2003)

HPLC Separation of Diastereomers of LnIII-Poly(Amino Carboxylates). Direct Assessment of their Water Exchange Rate

Chemical Communications (21) 2680-2681

Abstract

Laus, S ; Ruloff, R ; Toth, E ; Merbach, AE (2003)

GdIII complexes with fast water exchange and high thermodynamic stability : potential building blocks for high relaxivity MRI contrast agents

Chemistry-A European Journal 9 (15) 3555-3566

Abstract

2002 Références trouvées : 5

Nicolle, GM ; Toth, E ; Schmitt-Willich, H ; Raduchel, B ; Merbach, AE (2002)

The impact of rigidity and water exchange on the relaxivity of a dendritic MRI contrast agent

Chemistry-A European Journal 8 (5) 1040-1048

Abstract

Toth, E ; Helm, L ; Merbach, AE (2002)

Relaxivity of MRI contrast agents

in "Topics in Current Chemistry" Vol. 221, W. Krause Ed., Springer-Verlag Berlin, (Chapter 2, p. 61-101)

Abstract

Nicolle, GM ; Toth, E ; Eisenwiener, KP ; Macke, HR ; Merbach, AE (2002)

From monomers to micelles : investigation of the parameters influencing proton relaxivity

Journal of Biological Inorganic Chemistry 7 (7-8) 757-769

Abstract

Burai, L ; Scopelliti, R ; Toth, E (2002)

Eu-II-cryptate with optimal water exchange and electronic relaxation : a synthon for potential pO(2) responsive macromolecular MRI contrast agents

Chemical Communications (20) 2366-2367

Abstract

Ruloff, R ; Toth, E ; Scopelliti, R ; Tripier, R ; Handel, H ; Merbach, AE (2002)

Accelerating water exchange for GdIII chelates by steric compression around the water binding site

Chemical Communications (22) 2630-2631

Abstract

2001 Références trouvées : 4

Toth, T ; Helm, L ; Merbach, AE (2001)

Relaxivity of gadolinium(III) complexes : Theory and mechanism

in "The Chemistry of Contrast Agents in Medical Magnetic Resonance Imaging" edited by É. Tóth and A. E. Merbach John Wiley & Sons, (Chapter 2, p. 45-120)
Toth, E ; Burai, L ; Merbach, AE (2001)

Similarities and differences between the isoelectronic Gd-III and Eu-II complexes with regard to MRI contrast agent applications

Coordination Chemistry Reviews 216 363-382

Abstract

Dunand, FA ; Toth, E ; Hollister, R ; Merbach, AE (2001)

Lipari-Szabo approach as a tool for the analysis of macromolecular gadolinium(III)-based MRI contrast agents illustrated by the [Gd(EGTA-BA-(CH₂(12))]_n(n⁺) polymer

Journal of Biological Inorganic Chemistry 6 (3) 247-255

Abstract

Pasquarello, A ; Petri, I ; Salmon, PS ; Parisel, O ; Car, R ; Toth, E ; Powell, DH ; Fischer, HE ; Helm, L ; Merbach, AE (2001)

First solvation shell of the Cu(II) aqua ion : Evidence for fivefold coordination

Science 291 (5505) 856-859

Abstract

2000 Références trouvées : 7

Seibig, S ; Tóth, E ; Merbach, AE (2000)

Unexpected Difference in the Dynamics and in the Nuclear and Electronic Relaxation Properties of the Isoelectronic [EuIII(DTPA)]³⁻ and [GdIII(DTPA)]²⁻ Complexes

Journal of The American Chemical Society 122 (44) 5822-5830

Yerly, F ; Dunand, FA ; Toth, E ; Figueirinha, A ; Kovacs, Z ; Sherry, AD ; Geraldes, CFGC ; Merbach, AE (2000)

Spectroscopic study of the hydration equilibria and water exchange dynamics of lanthanide(III) complexes of 1,7-bis(carboxymethyl)-1,4,7,10-tetraazacyclododecane (DO2A)

European Journal of Inorganic Chemistry (5) 1001-1006

Abstract

Platas, C ; Avecilla, F ; de Blas, A ; Rodriguez-Blas, T ; Geraldes, CFGC ; Toth, E ; Merbach, AE ; Bunzli, JCG (2000)

Mono- and bimetallic lanthanide(III) phenolic cryptates obtained by template reaction : solid state structure, photophysical properties and relaxivity

Journal of The Chemical Society-Dalton Transactions (4) 611-618

Abstract

Fatin-Rouge, N ; Toth, E ; Perret, D ; Backer, RH ; Merbach, AE ; Bunzli, JCG (2000)

Lanthanide podates with programmed intermolecular interactions : Luminescence enhancement through association with cyclodextrins and unusually large relaxivity of the gadolinium self-aggregates

Journal of The American Chemical Society 122 (44) 10810-10820

Abstract

Burai, L ; Toth, E ; Seibig, S ; Scopelliti, R ; Merbach, AE (2000)

High-pressure NMR kinetics, part 95 - Solution and solid-state characterization of Eu-II chelates : A possible route towards redox responsive MRI contrast agents

Chemistry-A European Journal 6 (20) 3761-3770

Abstract

Szilagyi, E ; Toth, E ; Kovacs, Z ; Platzek, J ; Raduchel, B ; Brucher, E (2000)

Equilibria and formation kinetics of some cyclen derivative complexes of lanthanides

Inorganica Chimica Acta 298 (2) 226-234

Abstract

Borel, A ; Toth, E ; Helm, L ; Janossy, A ; Merbach, AE (2000)

EPR on aqueous Gd³⁺ complexes and a new analysis method considering both line widths and shifts

Physical Chemistry Chemical Physics 2 (6) 1311-1317

Abstract